	•	
	Application No.	Applicant(s)
	10/724,290	SHYU, SHIN FA
Notice of Allowability	Examiner	Art Unit / /
	Andrea M. Valenti	3643
The MAILING DATE of this communication appeal All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this ap or other appropriate communication GHTS. This application is subject t	plication. If not included n will be mailed in due course. THIS
1. \boxtimes This communication is responsive to <u>13 September 2004</u> .		,
2. The allowed claim(s) is/are 1-9 and 11-13.		•
3. \boxtimes The drawings filed on <u>25 November 2003</u> are accepted by	the Examiner.	
 4. ☐ Acknowledgment is made of a claim for foreign priority una) ☐ All b) ☐ Some* c) ☐ None of the: 1. ☐ Certified copies of the priority documents have 2. ☐ Certified copies of the priority documents have 3. ☐ Copies of the certified copies of the priority documents nave International Bureau (PCT Rule 17.2(a)). * Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONM THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submit INFORMAL PATENT APPLICATION (PTO-152) which give (a) ☐ including changes required by the Notice of Draftspers 1) ☐ hereto or 2) ☐ to Paper No./Mail Date (b) ☐ including changes required by the attached Examiner's Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1. each sheet. Replacement sheet(s) should be labeled as such in the properties of the priority under the depose attached Examiner's comment regarding REQUIREMENT In the properties of the priority documents and the priority documents and the priority documents and the priority documents and the priority documents have a priority documents and the priority documen	been received. been received in Application No cuments have been received in this of this communication to file a reply ENT of this application. itted. Note the attached EXAMINER as reason(s) why the oath or declara t be submitted. on's Patent Drawing Review (PTO- as Amendment / Comment or in the (as Ad(c)) should be written on the drawing he header according to 37 CFR 1.121(asit of BIOLOGICAL MATERIAL	national stage application from the complying with the requirements 2'S AMENDMENT or NOTICE OF ation is deficient. -948) attached Office action of angs in the front (not the back) of (d). must be submitted. Note the
	. '	
Attachment(s) 1. Notice of References Cited (PTO-892) 2. Notice of Draftperson's Patent Drawing Review (PTO-948) 3. Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	6. ☐ Interview Summary Paper No./Mail Da 8), 7. ☑ Examiner's Amenda	te

Application/Control Number: 10/724,290

Art Unit: 3643

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows:

Claim 1, line 10, 'and driven by said spindle' was changed to –and oscillatingly driven by said spindle--

Allowable Subject Matter

Claims 1-9 and 11-13 are allowed.

The following is an examiner's statement of reasons for allowance:

Regarding Claim 1, cited references U.S. Patent No. 5,188,516; U.S. Patent No. 4,985,181; U.S. Patent No. 4,608,000; U.S. Patent Pub. US 2003/0031571; U.S. Patent No. 4,817,561; Japanese Patent JP 05276850A; U.S. Patent No. 5,290,157; U.S. Patent No. 5,938,981; U.S. Patent No. 4,154,681; U.S. Patent No. 6,551,078; U.S. Patent No. 5,318,701; U.S. Patent No. 5,750,023; U.S. Patent No. 6,523,498; U.S. Patent No. 6,164,932 teach the combination of an aquarium pump and air supply. The prior art of record all fails to show and fails to make obvious, either alone and or in combination a pump disposed in said chamber of said container to circulate the water, said pump including a spindle, and including a port provided therein and a conduit

Application/Control Number: 10/724,290

Art Unit: 3643

attached to said port, said conduit including a partition provided therein and having a bore formed therein to rotatably receive said spindle of said pump, and an air supplying device coupled to said spindle of said pump and **oscillatingly** driven by said spindle of said pump, to pump air into the water contained in said chamber of said container, said air supplying device including a plate attached to said pump said plate including at least one stay extended therefrom and attached to said conduit.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Andrea M. Valenti whose telephone number is 703-305-3010. The examiner can normally be reached on 7:30am-5pm M-F; Alternating Fridays Off.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Peter M. Poon can be reached on 703-308-2574. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Application/Control Number: 10/724,290

Art Unit: 3643

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only.

For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

> Andrea M. Valenti Patent Examiner Art Unit 3643

16 November 2004

Peter M. Poon

Supervisory Patent Examiner Technology Center 3600

11/17/01